



► XStream™ | Interior Mount Warning Light

FEATURES

- Solaris® LED reflector technology for better optical efficiency and superior off-axis warning
- SpectraLux™ multicolor LED technology in combinations of Amber, Blue, Green, Red and White
- Each light head includes three colors with 6 LEDs of each color (18 LEDs total)
- Low-profile design
- Available in single- or dual-head models
- Black polycarbonate housing
- Each model features two recessed buttons, one to change flash pattern and other for color mode
- (25) Flash patterns including random and steady; (10) color modes
- Versatile mounting brackets and three different length snap-on flash guards included
- Choice of cigarette plug or wired models
- Cigarette plug models include two switches for on/off and steady-burn
- Five-year warranty

APPROVALS

- SAE J845, Class 1
- SAE J595, Class 1

Built-in Versatility

XStream™ is an interior mount LED warning light that can be installed almost anywhere inside a police car, fire commander and volunteer fire vehicle, or work truck. XStream is available in single- or dual-head configurations and with cigarette plug or wire leads that allow for synchronization. Ideal for dash/deck, headliner, and window mount applications, each model includes a light head, two suction cups, bail and pivot brackets, mounting hardware and three different length snap-on flash guards making installation quick and versatile.

Every model is built with Federal Signal's Solaris® LED reflector for superior optical performance. In addition, SpectraLux® multicolor LED technology provides the ability for a LED light head to change color and operate as a single, dual, or tri-color light head through user-selected color modes.

Easy Push-Button Flash Pattern and Color Mode Selection

XStream warning lights come equipped with (25) flash patterns and (10) color modes. Flash patterns and color modes can be changed simply with two recessed buttons included on each model. Wired units use an advanced five wire technology that coordinates flash patterns between up to eight lights at once. Cigarette plug models are simple to transfer from vehicle to vehicle and include two switches for on/off and White steady-burn.



COMPLIANCE CHART

| Color | J845 Class | J845 Coverage | J595 Class | CCR Title13 Class | NFPA | | GSA KKK-A-1822F |
|-------|------------|---------------|------------|-------------------|-------|-----------------------|-----------------|
| | | | | | Zone | No. of Devices (Zone) | |
| Red | 1 | 115° | 1 | B | Lower | 1 | Complies Lower |
| Blue | 1 | 90° | 1 | B | Lower | 2 | — |
| Amber | 1 | 110° | 1 | B | Lower | 1 | — |
| White | 1 | 85° | 1 | — | Lower | 1 | — |

COLOR MODE

| Color Mode | Single-Head | Dual-Head 1 | Dual-Head 2 | Description |
|------------|---------------------------|---------------|---------------|---|
| 1 | Color 1, 2, 3 | Color 1, 2, 3 | Color 1, 2, 3 | Heads flash COLOR1, COLOR2, & COLOR3 |
| 2 | Color 1 | Color 1 | Color 1 | Heads flash COLOR1 |
| 3 | Color 2 | Color 2 | Color 2 | Heads flash COLOR2 |
| 4 | Color 3 | Color 3 | Color 3 | Heads flash COLOR3 |
| 5 | Color 1, 2 | Color 1, 2 | Color 1, 2 | Heads flash COLOR1 & COLOR2*** |
| 6 | Color 1, 3 | Color 1, 3 | Color 1, 3 | Heads flash COLOR1 & COLOR3*** |
| 7 | Color 2, 3 | Color 2, 3 | Color 2, 3 | Heads flash COLOR2 & COLOR3*** |
| 8 | Color 1 (duplicates 2) | Color 1 | Color 2 | Head 1 flashes COLOR1, Head 2 flashes COLOR2*** |
| 9 | Color 1 (duplicates 2) | Color 1 | Color 3 | Head 1 flashes COLOR1, Head 2 flashes COLOR3*** |
| 10 | Color 2 (duplicates 3) | Color 2 | Color 3 | Head 1 flashes COLOR2, Head 2 flashes COLOR3*** |

***Use Swap Colors Function to Reverse



Each model includes light head, two suction cups, bail and pivot brackets, mounting hardware and three different length snap-on flash guards.

SPECIFICATIONS

| | Single-Head | Dual-Head |
|-------------------------|---------------------------|---------------------------|
| Voltage | 12 Vdc | |
| Current Draw | 0.8 Amp (Steady White) | 1.6 Amp (Steady White) |
| Operating Temp | -40°C to +80°C | |
| Physical Specifications | | |
| Width | 3.9 in (9.9 cm) | 7.3 in (18.5 cm) |
| Height | 1.0 in (2.5 cm) | |
| Depth | 2.2 in (5.6 cm) | |
| Ship Weight | | |
| | 0.6 lbs (0.3 kg) | 1.0 lb (0.5 kg) |




Cigarette plug models include two switches for on/off and White steady-burn

FLASH PATTERNS


| Pattern | Name |
|---------|-------------------|
| 1 | Triple 92.3 |
| 2 | Triple 90 |
| 3 | Single 122 |
| 4 | Single 75* |
| 5 | Single 90* |
| 6 | Single 113* |
| 7 | Cruise w/ Flicker |
| 8 | Random Time |
| 9 | Random Common* |
| 10 | Steady |
| 11 | Single 75* |
| 12 | Single 120* |
| 13 | Double 80* |
| 14 | Double 120* |
| 15 | Triple 80* |
| 16 | Triple 120* |
| 17 | Quad 60* |
| 18 | Quad 75* |
| 19 | Quad 95* |
| 20 | FedPulse Quad 75* |
| 21 | Quint 75* |
| 22 | 7x |
| 23 | Single-Quad* |
| 24 | Decelerating |
| 25 | Accelerating |

*Conforms to CCR Title 13


Single-Head Model



Dual-Head Model



Visor Lengths Included with Each Model



Single-head models with wire leads

| | |
|-------------|-------------------|
| XSM1-BRW-US | Blue/Red/White |
| XSM1-WAG-US | White/Amber/Green |
| XSM1-BRA-US | Blue/Red/Amber |
| XSM1-BWA-US | Blue/White/Amber |
| XSM1-RWA-US | Red/White/Amber |

Dual-head models with wire leads

| | |
|-------------|---------------------------------------|
| XSM2-BRW-US | Blue/Red/White - Blue/Red/White |
| XSM2-WAG-US | White/Amber/Green - White/Amber/Green |
| XSM2-BRA-US | Blue/Red/Amber - Blue/Red/Amber |
| XSM2-BWA-US | Blue/White/Amber - Blue/White/Amber |
| XSM2-RWA-US | Red/White/Amber - Red/White/Amber |

Single-head models with cigarette plug

| | |
|--------------|-------------------|
| XSM1C-BRW-US | Blue/Red/White |
| XSM1C-WAG-US | White/Amber/Green |
| XSM1C-BWA-US | Blue/White/Amber |
| XSM1C-RWA-US | Red/White/Amber |

Dual-head models with cigarette plug

| | |
|--------------|---------------------------------------|
| XSM2C-BRW-US | Blue/Red/White - Blue/Red/White |
| XSM2C-WAG-US | White/Amber/Green - White/Amber/Green |
| XSM2C-BWA-US | Blue/White/Amber - Blue/White/Amber |
| XSM2C-RWA-US | Red/White/Amber - Red/White/Amber |

Accessories

| | |
|----------|---|
| XSMBKT01 | Visor mount kit for use with single or dual head models |
| XSMBKT02 | Adjustable, swivel mount for single or dual head models |
| XSMBKT03 | Headliner mount bracket for single or dual head models |
| XSMBKT07 | Visor mount kit for use with (1) single or dual head XStream and (2) cameras (forward and rear facing), Dodge Charger, 2011-2021 |
| XSMBKT08 | Visor mount kit for use with (1) single or dual head XStream and (2) cameras (forward and rear facing), Ford Police Interceptor Utility, 2011-2019 |
| XSMBKT09 | Visor mount kit for use with (1) single or dual head XStream and (2) cameras (forward and rear facing), Chevrolet Tahoe, 2015-2020 |
| XSMBKT10 | Visor mount kit for use with (1) single or dual head XStream and (2) cameras (forward and rear facing), Ford F-150, 2015-2020, Ford F-250/350/450/550 Super Duty, 2017-2020 |
| XSMBKT11 | Visor mount kit for use with (1) single or dual head XStream and (2) cameras (forward and rear facing), Ford Police Interceptor Utility, 2020-2021 |
| XSMBKT12 | Visor mount kit for use with (1) single or dual head XStream and (2) cameras (forward and rear facing), Dodge Durango, 2011-2020 |
| XSMBKT13 | Visor mount kit for use with (1) single or dual head XStream and (2) cameras (forward and rear facing), Ford Ranger, 2019-2020 |
| Z205003 | Rubber gasket |

